6.11 Toileting

The ability to use the toilet, commode, bedpan, or urinal. This includes transferring on/off the toilet, cleansing of self, changing of pads, managing an ostomy or catheter, and adjusting clothes.

0-6 mos	7-12 mos	13-18 mos	19-24 mos	25-36 mos	3-4 yrs	4-6 yrs	6-9 yrs	9-13 yrs	14-17 yrs	18 yrs +	☑ Indicates that the item on the functional screen should be checked. ◎ Indicates that the item on the functional screen should NOT be checked.
•	•	•	•	•							Applicable questions for the purposes of this screen have been
											covered on the Health-Related Services Section.
					•						Has no awareness of being wet or soiled.
											☑ Does not know or care that their diaper/underpants are wet or soiled.
					•						Does not use toilet/potty chair when placed there by a caregiver.
											☑ Will sit on toilet/potty chair but does not use it to void.
											Incontinent during the day (of bowel and/or bladder).
											When one does not have physical control of bowel or bladder. When
											considering whether child is incontinent more than 1/3rd of the time,
											incontinence should be counted by days, not the number of times the child
							•				voids each day.
											☑ Is incontinent once a day on school days (that's more than 1/3rd of the
						•					time).
											☑ Has accidents because s/he did not get to bathroom on time.
											☑ Is wet between self-cathing intervals.
											O Uses pull ups to have bowel movements but has control of his/her
											bowel.
											Sehavioral problems involving voiding or defecating.
											♦ Uses a catheter with some leakage.
											Needs physical help (other than wiping).
											☑ Child consistently needs hands on assistance to use toilet.
											O Child is not able to wipe him/herself after a bowel movement but is
						•					otherwise independent in toileting.
											Needs assistance getting on or off toilet.
											Uses adaptive equipment with toileting (for example: hand bars)



80m 9-0	7-12 mos	13-18 mos	19-24 mos	25-36 mos	3-4 yrs	4-6 yrs	6-9 yrs	9-13 yrs	14-17 yrs	18 yrs +	☑ Indicates that the item on the functional screen should be checked. ⑤ Indicates that the item on the functional screen should NOT be checked.
							•	•	•	•	Needs physical help, step-by-step cues, or a toileting schedule. A "toileting schedule" is when other people must take the child to the toilet at regular times to reduce incontinence. This does not include a child who needs verbal reminders to use the bathroom at regular times. ☑ Parent/caregiver performs catheterization or assists the child with cathing. ☑ Needs help wiping following a bowel movement. ☑ Needs help changing menstrual pads. ☑ Requests a pull up or diaper for the purpose of defecating in it. ☑ Can self-cath at regularly scheduled intervals. ☑ Parent/caregiver wakes a child to urinate at the same time every night to prevent bedwetting. ☑ Needs assistance getting on or off toilet. ☑ Uses adaptive equipment with toileting (for example: hand bars)
							•				Incontinent of bowel during the night.
								•	•	•	 Incontinent (of bowel and/or bladder). When one does not have physical control of bowel or bladder. When considering whether child is incontinent more than 1/3rd of the time, incontinence should be counted by days, not the number of times the child voids each day. ☑ Is incontinent once a day on school days (that's more than 1/3rd of the time). ☑ Has accidents because s/he did not get to bathroom on time. ☑ Is wet between self-cathing intervals. ○ Uses pull ups to have bowel movements but has control of his/her bowel. ○ Behavioral problems involving voiding or defecating. ○ Uses a catheter with some leakage.